



**11427EPZN**




## **Description**

Biggest set in our offer, complete play village for 130 users with 17 square platforms, 8 triangular platforms, 6 tunnel slides, 4 deep stainless steel slides, rope bridge, 2 rope tunnel bridges, 3 arched bridges, 4 tunnel bridge tubes, tunnel bridge, 3 moving bridges with beam, rope bridge with round platforms, rope bridge with rectangles, slope bridge, 13 steps with double mouting, climbing trap, 2 climbing entrances, fireman pole, spiral entrance, fireman pipe, 2 ladders, climbing wall with a hole, 13 security panels, 3 gable roofs, castle tower roof, triangular roof, 3 envelope hipped roofs with dormers

<b>Model type</b>	Solitair
<b>Serial number</b>	11427EPZN
<b>Equipment name</b>	Orbis 11427

*Join the action!*



<b>Product line</b>	Action Orbis Wood Solitair
<b>Age range</b>	3 - 14
<b>Unit measurements</b>	2348cm x 2029cm x 259cm
<b>Required surface area</b>	2650cm x 2179cm
<b>Impact area</b>	337m <sup>2</sup>
<b>Free height of fall</b>	150cm

**Material**

Bearing posts have a diameter of 12 cm and are made of glue-laminated, round, wood, fixed 10 cm above the ground level with metal anchors.

Antislip platforms.

Roofs, security elements and panels are made of HDPE (high durable polyethylene) boards with pattern cuttings.

Sliding surface is made of acid-proof, stainless steel sheet.

Ropes made of polypropylene with a steel core, thickness 16-18 mm, vandalism and UV resistant. All fittings and connectors are weather and UV resistant.

Wood elements are oiled or covered with a colour glaze.

Steel elements are protected against corrosion by zinc primer and powder paint coating.

**Heaviest part** kg

**Largest part** cm - cm

**Spare parts** None

**Installation time without groundwork** 15 hour(s) / 5 person(s)

**Special tools** None

**Anchoring** Poles are fixed in the ground at a depth of 60 cm on steel anchors. Concrete according to the assembly instructions.

**Remarks**

