




**TECHNICAL DATA:**

Not easy accessible device,  
according to standard EN 1176-1:2017


Device dimensions:	4,91 x 4,22m
Device height:	2,52m
Minimum space:	8,35 x 7,72m
Falling area:	44,86m <sup>2</sup>
Critical fall height:	2,20m
Foundations depth:	-0,60m

The device according to EN 1176-1:2017  
Playground equipment and surfacing – Part 1:  
General safety requirements and test methods

**Top view with falling area**



- Safety surfaces:
- sand, gravel, bark, synthetic surface
  - minimal thickness for loose particulate materials 300+100mm
  - synthetic surface according to critical fall height



## COMPONENTS:

Tower without roof, platform 1,36m:	1 pc
Climbing wall 1,36m:	1 pc
Vertical ladder:	2 pcs
Slide 1,36m:	1 pc
Fireman's pole 1,36m:	1 pc
Arched rope net:	1 pc

## MATERIALS:

Construction poles:	galvanized steel profiles, powder coated
Anchors:	galvanized steel
Flat decorative elements:	HDPE sheets
Platforms:	impregnated pinewood boards, with machined anti-skid surface,
Steel elements:	galvanized steel, powder coated
Surface of slope slide:	stainless steel,
Climbing walls:	waterproof plywood, climbing grips, based on resins
Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
Caps:	plastic
Foundations:	concrete min. C12/15 standard



SATERNUS DISTRIBUTION Sp. z o.o. sp.k.  
ul. Nowa 32  
41-500 Chorzów, Poland

Certificate beholder:  
Producer:  
Distributor:

GRUPA SATERNUS Sp. z o.o. S. K. A. reserves all rights to protect copyright under the Act of February 4, 1994 on Copyright and Related Rights (Journal of Laws No. 28, item 83), and in particular Art. 78 and 79 of this Law.

GRUPA SATERNUS Sp. z o.o. S. K. A.  
Saternus Production Sp. z o.o. sp. k.  
Saternus Distribution Sp. z o.o. sp. k.